

Price List - LADDER SAFETY GATE - Mild Steel

Standard Technical Data for the PS DOORS Self-Closing Ladder Safety Gate:

- a. **Gate Arm:** 1-1/4" square, steel tubing. Minimum dimension from top of gate arm to bottom of gate arm to be 22-1/4".
- b. **Mounting Bracket:** Exclusive Universal Mounting Bracket, mild steel, to fit railings up to 2" O.D. Bracket is adaptable to bolt to flat surfaces, i.e. angle iron, flat bar, wall surfaces, etc.
- c. **Hinge Plate:** Full Height Hinge Plate provides for gate adjustment of 3-3/4". See sizing minimum and maximum dimensions.
- d. **Hinge Springs:** Torsion type, stainless steel. Includes a minimum of two (2) springs per gate, housed within hinge pivot.
- e. **Finish:** On all exposed surfaces. Choose from options below:
 - 1. Powder Coat Safety Yellow. Fasteners to be zinc plated.
 - 2. Hot Dip Galvanized. Fasteners to be zinc plated.
- f. **Gate Operation:** Allows for 180° travel. Gate swing is reversible by inverting or rotating.
- g. **Packaging:** Each gate is individually boxed and marked with appropriate size and finish identified.
- h. **Options:** Mounting Adapter Brackets for "no drill" installation option for mounting to railing larger than 2" O.D, angle iron, or flat bar.



**POWDER COAT SAFETY
YELLOW LADDER SAFETY
GATE PRICING**



**HOT-DIP GALVANIZED
LADDER SAFETY GATE
PRICING**

ITEM NUMBER	Fits Opening Dim.		PRICE EACH
	Min.	Max.	
LSG-15-PCY	13-3/4"	17-1/2"	\$161
LSG-18-PCY	16-3/4"	20-1/2"	\$163
LSG-21-PCY	19-3/4"	23-1/2"	\$165
LSG-24-PCY	22-3/4"	26-1/2"	\$167
LSG-27-PCY	25-3/4"	29-1/2"	\$169
LSG-30-PCY	28-3/4"	32-1/2"	\$171
LSG-33-PCY	31-3/4"	35-1/2"	\$173
LSG-36-PCY	34-3/4"	38-1/2"	\$175
LSG-40-PCY	38-3/4"	42-1/2"	\$225
LSG-44-PCY	42-3/4"	46-1/2"	\$250
LSG-48-PCY	46-3/4"	50-1/2"	\$275

ITEM NUMBER	Fits Opening Dim.		PRICE EACH
	Min.	Max.	
LSG-15-GAL	13-3/4"	17-1/2"	\$161
LSG-18-GAL	16-3/4"	20-1/2"	\$163
LSG-21-GAL	19-3/4"	23-1/2"	\$165
LSG-24-GAL	22-3/4"	26-1/2"	\$167
LSG-27-GAL	25-3/4"	29-1/2"	\$169
LSG-30-GAL	28-3/4"	32-1/2"	\$171
LSG-33-GAL	31-3/4"	35-1/2"	\$173
LSG-36-GAL	34-3/4"	38-1/2"	\$175
LSG-40-GAL	38-3/4"	42-1/2"	\$225
LSG-44-GAL	42-3/4"	46-1/2"	\$250
LSG-48-GAL	46-3/4"	50-1/2"	\$275

OPTIONAL: Adapter Brackets



LSG-LP-2204



LSG-FB-2205



LSG-AC-2206

Available in Powder Coat Safety Yellow (Shown Above), Hot-Dipped Galvanized or Stainless Steel.

See Optional Adapter Bracket Price Sheet for Details.

Payment Options:

1. Major Credit Cards Accepted
2. 30-Day Terms for Established Accounts. Requires prior credit approval.


Pricing:

- Prices shown are Industrial User Net.
- All prices show in US dollars.

Shipping:

- FOB Grand Forks, ND 58201.
- Freight not included in pricing.

MEASUREMENT GUIDE



www.pssafetyaccess.com

PS DOORS
 1150 S. 48th Street
 Grand Forks, ND 58201
 Phone (701) 746-4519
 Toll Free (877) 446-1519
 Email: 4psinfo@psdoors.com

All pricing is subject to change without notice. Product specifications, options, and availability subject to change without notice.

Price List - LADDER SAFETY GATE - Stainless Steel

Standard Technical Data for the PS DOORS Stainless Steel Self-Closing Ladder Safety Gate:

- a. **Gate Arm:** 1-1/4" square, stainless steel tubing. Minimum dimension from top of gate arm to bottom of gate arm to be 22-1/4".
- b. **Mounting Bracket:** Exclusive Universal Mounting Bracket, stainless steel, to fit railings up to 2" O.D. Bracket is adaptable to bolt to flat surfaces, i.e. angle iron, flat bar, wall surfaces, etc.
- c. **Hinge Plate:** Full Height Hinge Plate provides for gate adjustment of 3-3/4". See sizing minimum and maximum dimensions.
- d. **Hinge Springs:** Torsion type, stainless steel. Includes a minimum of two (2) springs per gate, housed within hinge pivot.
- e. **Finish:** On all exposed surfaces. Choose from options below:
 - 1. Stainless Steel - Type 304-2b for Standard Gate Configuration. Hardware to be Stainless Steel type 316.
 - 2. Stainless Steel - Type 316L-2b for the Seal Welded/Food Processing Configuration. Hardware to be Stainless Steel type 316.
- f. **Gate Operation:** Allows for 180° travel. Gate swing is reversible by inverting or rotating.
- g. **Packaging:** Each gate is individually boxed and marked with appropriate size and finish identified.
- h. **Options:** Mounting Adapter Brackets for "no drill" installation option for mounting to railing larger than 2" O.D, angle iron, or flat bar.



**STAINLESS STEEL
(304-2b)**



**STAINLESS STEEL
(316L-2b)
"SEAL WELDED for
FOOD PROCESSING"**

ITEM NUMBER	Fits Opening Dim.		PRICE EACH
	Min.	Max.	
LSG-15-SS	13-3/4"	17-1/2"	\$242
LSG-18-SS	16-3/4"	20-1/2"	\$249
LSG-21-SS	19-3/4"	23-1/2"	\$256
LSG-24-SS	22-3/4"	26-1/2"	\$263
LSG-27-SS	25-3/4"	29-1/2"	\$270
LSG-30-SS	28-3/4"	32-1/2"	\$277
LSG-33-SS	31-3/4"	35-1/2"	\$284
LSG-36-SS	34-3/4"	38-1/2"	\$291
LSG-40-SS	38-3/4"	42-1/2"	\$357
LSG-44-SS	42-3/4"	46-1/2"	\$364
LSG-48-SS	46-3/4"	50-1/2"	\$442

ITEM NUMBER	Fits Opening Dim.		PRICE EACH
	Min.	Max.	
LSG-15-SS-SW	13-3/4"	17-1/2"	\$331
LSG-18-SS-SW	16-3/4"	20-1/2"	\$338
LSG-21-SS-SW	19-3/4"	23-1/2"	\$346
LSG-24-SS-SW	22-3/4"	26-1/2"	\$353
LSG-27-SS-SW	25-3/4"	29-1/2"	\$360
LSG-30-SS-SW	28-3/4"	32-1/2"	\$367
LSG-33-SS-SW	31-3/4"	35-1/2"	\$374
LSG-36-SS-SW	34-3/4"	38-1/2"	\$381
LSG-40-SS-SW	38-3/4"	42-1/2"	\$463
LSG-44-SS-SW	42-3/4"	46-1/2"	\$471
LSG-48-SS-SW	46-3/4"	50-1/2"	\$586

OPTIONAL: Adapter Brackets



LSG-LP-2204


LSG-FB-2205

LSG-AC-2206

Available in Powder Coat Safety Yellow (Shown Above), Hot-Dipped Galvanized or Stainless Steel.

See Optional Adapter Bracket Price Sheet for Details.

MEASUREMENT GUIDE



Payment Options:

- 1. Major Credit Cards Accepted
- 2. 30-Day Terms for Established Accounts. Requires prior credit approval.

Pricing:

- Prices shown are Industrial User Net.
- All prices show in US dollars.

Shipping:

- FOB Grand Forks, ND 58201.
- Freight not included in pricing.



www.pssafetyaccess.com

PS DOORS

1150 S. 48th Street
Grand Forks, ND 58201
Phone (701) 746-4519
Toll Free (877) 446-1519
Email: 4psinfo@psdoors.com

All pricing is subject to change without notice. Product specifications, options, and availability subject to change without notice.

Price List - LADDER SAFETY GATE - Aluminum

Standard Technical Data for the PS DOORS Aluminum Self-Closing Ladder Safety Gate:

- a. **Gate Arm:** 1-1/4" square, aluminum tubing. Minimum dimension from top of gate arm to bottom of gate arm to be 22-1/4".
- b. **Mounting Bracket:** Exclusive Universal Mounting Bracket, stainless steel, to fit railings up to 2" O.D. Bracket is adaptable to bolt to flat surfaces, i.e. angle iron, flat bar, wall surfaces, etc.
- c. **Hinge Plate:** Full Height aluminum Hinge Plate provides for gate adjustment of 3-3/4". See sizing minimum and maximum dimensions.
- d. **Hinge Springs:** Torsion type, stainless steel. Includes a minimum of two (2) springs per gate, housed within hinge pivot.
- e. **Support Block:** to be UHMW with stainless steel hardware.
- f. **Finish:** On all exposed gate surfaces to be aluminum, mill finish, welds unfinished. Note: Mounting Brackets are stainless steel.
- f. **Gate Operation:** Allows for 180° travel. Gate swing is reversible by inverting or rotating.
- g. **Packaging:** Each gate is individually boxed and marked with appropriate size and finish identified.
- h. **Options:** Mounting Adapter Brackets for "no drill" installation option for mounting to railing larger then 2" O.D, angle iron, or flat bar.



ALUMINUM LADDER SAFETY GATE PRICING

ITEM NUMBER	Fits Opening Dim.		PRICE EACH
	Min.	Max.	
LSG-18-ALU	16-3/4"	20-1/2"	\$232
LSG-21-ALU	19-3/4"	23-1/2"	\$234
LSG-24-ALU	22-3/4"	26-1/2"	\$236
LSG-27-ALU	25-3/4"	29-1/2"	\$238
LSG-30-ALU	28-3/4"	32-1/2"	\$244
LSG-33-ALU	31-3/4"	35-1/2"	\$246
LSG-36-ALU	34-3/4"	38-1/2"	\$248

OPTIONAL: Adapter Brackets



LSG-LP-2204


LSG-FB-2205

LSG-AC-2206

Available in Powder Coat Safety Yellow (Shown Above), Hot-Dipped Galvanized or Stainless Steel.

See Optional Adapter Bracket Price Sheet for Details.

MEASUREMENT GUIDE



Payment Options:

- 1. Major Credit Cards Accepted
- 2. 30-Day Terms for Established Accounts. Requires prior credit approval.

Pricing:

- Prices shown are Industrial User Net.
- All prices show in US dollars.

Shipping:

- FOB Grand Forks, ND 58201.
- Freight not included in pricing.



www.pssafetyaccess.com

PS DOORS

1150 S. 48th Street
 Grand Forks, ND 58201
 Phone (701) 746-4519
 Toll Free (877) 446-1519
 Email: 4psinfo@psdoors.com

All pricing is subject to change without notice. Product specifications, options, and availability subject to change without notice.

Price List - LADDER SAFETY GATE ADAPTER BRACKETS

Standard Technical Data for the PS DOORS Ladder Safety Gate Optional “No Drill” Mounting Adapter Brackets, Mounting Adapter Brackets are designed for unique mounting applications, or where “no drill” installation is required or desirable. PS DOORS offers three optional adapter bracket models available in two hinge or three hinge variations


- a. **Large Pipe Adapter Bracket (LP-2204):** The LP-2204 adapter bracket is for square or rectangle railing columns or mounting surfaces which are larger than 2” O.D. up to 4” O.D.
- b. **Flat Bar Adapter Bracket (FB-2205):** The FB-2205 adapter bracket is for rectangular bar stock columns larger than 2” O.D. up to 4” width. The maximum thickness capability of the FB-2205 is dependant upon the length of bolts. The standard FB-2205 includes bolts to fit a maximum thickness of 1/4”.
- c. **Angle Iron Adapter Bracket (AC-2206):** The AC-2206 adapter bracket is for angle iron railing columns. It fits angle iron with a maximum dimension of 3-3/4” x 3-3/4”.
- d. **Finish:** On all exposed surfaces. Choose from options below:
 - 1. Powder Coat Safety Yellow (PCY): Hardware to be zinc plated.
 - 2. Hot-Dipped Galvanized (GAL). Hardware to be zinc plated.
 - 3. Stainless Steel (SS): Type 316L. Hardware to be Stainless Steel type 316.
- e. Two hinge variation compatible with Ladder Safety Gates 15”-36”. Three hinge variation compatible with Ladder Safety Gates 40”-44”.

LARGE PIPE ADAPTER BRACKET (LP-2204)



(PCY Shown)

	ITEM NUMBER	PRICE / SET
2-hinge	LSG-LP2-2204-PCY	\$46
	LSG-LP2-2204-GAL	\$46
	LSG-LP2-2204-SST	\$113
3-hinge	LSG-LP3-2204-PCY	\$69
	LSG-LP3-2204-GAL	\$69
	LSG-LP3-2204-SST	\$170




FLAT BAR ADAPTER BRACKET (FB-2205)



(PCY Shown)

	ITEM NUMBER	PRICE / SET
2-hinge	LSG-FB2-2205-PCY	\$36
	LSG-FB2-2205-GAL	\$36
	LSG-FB2-2205-SST	\$86
3-hinge	LSG-FB3-2205-PCY	\$54
	LSG-FB3-2205-GAL	\$54
	LSG-FB3-2205-SST	\$129




ANGLE IRON ADAPTER BRACKET (AC-2206)



(PCY Shown)

	ITEM NUMBER	PRICE / SET
2-hinge	LSG-AC2-2206-PCY	\$46
	LSG-AC2-2206-GAL	\$46
	LSG-AC2-2206-SST	\$113
3-hinge	LSG-AC3-2206-PCY	\$69
	LSG-AC3-2206-GAL	\$69
	LSG-AC3-2206-SST	\$170



IMPORTANT: When using the Optional Adapter Brackets, order Ladder Safety Gate Size 2-1/2” smaller to account for mounting location.

To determine the proper size Ladder Safety Gate when using Adapter Brackets perform the following:

Railing Opening - 2-1/2” = Fits Opening Dimension

Example: 24” Railing Opening - 2-1/2” = 21-1/2”

Choose the LSG-21 from the Chart.



www.pssafetyaccess.com

PS DOORS

1150 S. 48th Street

Grand Forks, ND 58201

Phone (701) 746-4519

Toll Free (877) 446-1519

Email: 4psinfo@psdoors.com