


EPAS MEASURING GUIDE



1150 S. 48TH STREET, GRAND FORKS, ND 58201
Phone: 701.746.4519 | **Toll Free:** 877.446.1519
Website: pssafetyaccess.com
Email: 4psinfo@psindustries.com


EDGESAFE®

Pedestrian Awareness System




EPAS-M1AP1L

1—POLE
 1—CONTROL MODULE
 W/120V PLUG
 1—SENSOR W/
 REFLECTOR
 1—LIGHT W/
 BLINDERS
 1—POST ADAPTER
 BRACKET
 1—REFLECTOR MOUNT




EPAS-1AP1L

1—POLE
 1—SENSOR W/
 REFLECTOR
 1—LIGHT W/
 BLINDERS
 1—POST ADAPTER
 BRACKET
 2—CABLES (16FT EA.)
 1—REFLECTOR MOUNT
 *THIS IS AN ADD-ON:
 REQUIRES M1AP1L.




EPAS-1L

1—POLE
 1—LIGHT W/
 BLINDERS
 1—POST ADAPTER
 BRACKET
 1—CABLE (16FT)
 *THIS IS AN ADD-ON:
 REQUIRES M1AP1L.




ESR-P

1—POST



PN 517101

1—ADD'L. LIGHT
 CABLE
 (PURCHASED BY
 INCHES)



PN 517641

1—ADD'L. SENSOR
 CABLE
 (PURCHASED BY
 INCHES)

☐ QUOTE REQUESTED

☐ ORDER

SOLD/QUOTE TO:

NAME:

COMPANY:

ADDRESS:

CITY, STATE, ZIP:

PHONE:

FAX:

EMAIL:

SHIP TO:

NAME:

DATE:

ADDRESS:

P.O.#:

CITY, STATE, ZIP:

TAG:

PHONE:

SHIP VIA:

PROJECT INFO:

PROJECT NAME:

FINISH OPTION:

☐ POWDER COAT SAFETY YELLOW
 (STANDARD)

☐ CUSTOM COLOR (POWDER COAT)

***For orders or product inquiries please email 4psinfo@psindustries.com**


ITEM #	DESCRIPTION	PART #	QTY
1	EPAS;MASTER CONTROL POLE	EPAS-M1AP1L-PCY	
2	EPAS;1 ACCESS POINT 1 LIGHT	EPAS-1AP1L-PCY	
3	EPAS;1 LIGHT (ADD-ON ONLY)	EPAS-1L-PCY	
4	EDGESAFE SAFETY RAILING POST	ESR-P-PCY	
5	CABLE;18/3 BLK-R-BLU BLK (INCHES)	517101	
6	CABLE;18/4 WHT-BLU-BLK-BRWN YL (INCHES)	517641	

NOTICE System is limited to eight (8) Lights and eight (8) Sensors per one (1) Control Module.

NOTICE Sensor Reflector application range up to 275".


FOUR-WAY CROSSING WITH BLIND ENTRY

NOTICE Exchange 3 Pole Lever nuts for more terminals. This allows more than one connection from Control Module.




Shown with:
Ladder Safety Gate (LSG-4050-PCY),
Pedestrian Access Gate (EPAG-2148-PCY),
Safety Railing (ESR-PCY)

**ISO VIEW
(THREE ACCESS POINTS, FOUR LIGHTS)**




NOTICE Control Module in one Pole.

OFFICE EXIT



**ISO VIEW
(ONE ACCESS POINT, FOUR LIGHTS)**


Shown with:
Adjustable Safety Gate (ASG-1836-PCY),
Safety Railing (ESR-PCY)



TOP VIEW

NOTICE Control Module in one Pole.


FOUR-WAY CROSSING



ISO VIEW
(TWO ACCESS POINTS, THREE LIGHTS)

Shown with:
Pedestrian Access Gate
(EPAG-2148-PCY),
Safety Railing (ESR-PCY)


NOTICE Lights activate only on the Opening after crossed.




TOP VIEW

NOTICE Control Module in two Poles.

ADDITIONAL PRODUCTS




**ADJUSTABLE
SAFETY GATE (ASG)**
(Swings one direction)



LADDER SAFETY GATE (LSG)
(Swings one direction)

NOTICE These Gates stop personnel from leaving a safe area into a hazardous area without stopping to pull the gate open. They also allow free egress from hazardous areas to safe areas for all personnel.




**PERSONNEL ACCESS GATE
(EPAG)** (Swings both directions)



**PERSONNEL ACCESS GATE-
SINGLE (EPAGS)**
(Swings both directions)

NOTICE Used in situations where you choose to allow personnel to walk straight in either direction. A large signage board is used to notify personnel of specific hazards.



EDGESAFE® RAILING SYSTEM
(Standard Pole mounts to Posts, wiring
able to run through Railing)

EDGESAFE®

Pedestrian Awareness System

***Sketch project layout here, scan guide, and email to 4psinfo@psindustries.com**

